Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4278	385/14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/13 14:47
L2	2209	385/88.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/13 14:47
L3	1665	385/92.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/13 14:46
L4	1	(1 2 3) and (ferrule hold\$3 sheath) near5 (right adj angle perpendicular\$2 orthogonal\$2 "90" adj degree) near5 circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/13 14:50
L5	11	((ferrule hold\$3 sheath) near5 (right adj angle perpendicular\$2 orthogonal\$2 "90" adj degree) near5 circuit).clm.	US-PGPUB	OR	ON	2006/04/13 14:50
L6	2	5 and (opto\$1electr\$8 electro\$1optic\$4)	US-PGPUB	OR	ON	2006/04/13 14:51
L7	2	5 and (opto\$1electr\$8 electro\$1optic\$4).clm.	US-PGPUB	OR	ON	2006/04/13 14:51
S1	2	"20040208460"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/04/13 14:46
53	2	"5329604".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 15:18
<b>S4</b>	4551	circuit adj carrier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 15:24

S6	6305	(electro\$1optic\$2 opto\$1electr\$4 electro adj optic\$2 opto adj electr\$4) near3 transducer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 15:25
S7	11	S4 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 15:20
S8	125819	(electro\$1optic\$2 opto\$1electr\$4 electro adj optic\$2 opto adj electr\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 15:25
S10	57975	(waveguide fiber) near3 (holder sleeve jacket ferrule support\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 15:26
S11	584	S8 with S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 15:27
S12	1154	S8 with active with (semi\$1conduct\$3 semi adj condcut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 15:27
S13	13	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 15:28
S14	10	S13 and circuit\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 15:28
S15	8	S14 and hous\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 15:29
S16	50685	(waveguide fiber) near3 (receiv\$3 receptacle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 17:26

S17	8	S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 15:31
S18	4	S17 and module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 15:58
S19	2161	(waveguide fiber) near3 receptacle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 17:26
S20	125819	(electro\$1optic\$2 opto\$1electr\$4 electro adj optic\$2 opto adj electr\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 17:34
S21	57975	(waveguide fiber) near3 (holder sleeve jacket ferrule support\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 17:26
S22	584	S20 with S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 17:26
S23	1154	S20 with active with (semi\$1conduct\$3 semi adj condcut\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 17:29
S24	13	S22 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 17:30
S25	10	S24 and circuit\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 17:26
S26	8	S25 and hous\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 17:26

_						
S27	3	S19 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 17:29
S28	1154	S20 with active with (semi\$1conduct\$3 semi adj conduct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 17:32
S34	153296	(semi\$1conduct\$3 semi adj conduct\$3) near5 chip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 17:33
S35	3	S27 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 17:33
S36	3275	S20 with hous\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 17:35
S37	3	S27 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/17 17:35

4/13/2006 3:37:03 PM C:\Documents and Settings\jblevins\My Documents\EAST\Workspaces\10797365.wsp